



Slovgen s.r.o., Diagnostické laboratórium, Dúbravská cesta 21,
841 04 Bratislava 4, tel: 02/ 59307434, mobil: 0905 550 916

DNA ANALYSIS PROTOCOL FOR DETECTION OF HEREDITARY DISEASES

Submitter of analysis: Sandrine BERCIER
821 route des bruyeres
38440 Villeneuve de marc, FR

Date of sampling: 03.04.2015
Date of samples receipt: 08.04.2015
Date of analysis: 09.04.2015

Breed/name	Tattoo or RFID id/ Certificate of origin	Laboratory code	Type of analysis	Result
Australian Shepherd / JANIS KISS MEFAR des collines du lac de Paladru	250268711141011	150408/L1043	MDR1	N/P (+/-) carrier

The results of analysis are stored in a database under the lab code 150408/L1043.

Hints:

MDR1-Multidrug resistance gene - nt230(del4), (autosomal recessive)

MDR1 +/- or N/N (non-affected): Both genes, inherited from both mother and father are undamaged (healthy).

MDR1 +/- or N/P (carrier): Subjects with confirmed heterozygous genotype are carriers. Defective gene can be transmitted to offspring.

Unwanted side effects are unlikely to occur but cannot be excluded.

MDR1 -/- or P/P (affected): Particular caution is necessary in case an individual is diagnosed MDR1 +/- genotype. Treatment with certain drugs in this case can cause significant problems in some cases lethal neurotoxic reaction.

Notice: This protocol applies exclusively to the sample and the data that were supplied by the submitter. DNA analysis concerns only the above mentioned disease. No information regarding the customer as well as purpose and results of the analysis will be provided to third parties.

In Bratislava 20.04.2015

Ing. Marcela Bielíková, PhD.



Slovgen s.r.o., Diagnostické laboratórium, Ilkovičova 8,
841 04 Bratislava 4, tel: +421 905 550 916, Reg. No. (ICO): 35700629, VAT: SK20209006151,
accounts: SK551100000002626252786 (TATRSKBX); CZ8855000000006107902001 (RZBCCZPP); Paypal FS5LN9AAC848S

DNA ANALYSIS PROTOCOL FOR DETECTION OF HEREDITARY DISEASES

Snitter of analysis: Sandrine BERCIER Date of sampling: 09.09.2016
821 route des bruyeres Date of samples receipt: 16.09.2016
38440 Villeneuve de marc, FR Date of analysis: 29.09.2016

Breed/name	Tattoo or RFID id/ Certificate of origin	Laboratory code	Type of analysis	Result
Ausian Shepherd / Janis Kiss mc des collines du Lac de Paladru		160916/N1870	CEA-EVG	WT/WT NON-AFFECTED

ne results of analysis are stored in a database under the lab code 160916/N1870.

nts:

EA- collie eye anomalie (autosomal recessive) - performed by laboratory EVG (MARIBOR)

T/WT – healthy subject – non-affected. Both genes, inherited from both male and female are unaffected. That means that the subject has both eyes healthy.

UT/WT - carrier. Subjects with confirmed heterozygous CEA R/r genotype are carriers. Gene mutation can be transmitted to offspring.

UT/MUT – affected subject. The subject is a homozygote with r/r genotype, which inherited the affected allele from both parents and thus is affected by the disease.

otice: This protocol applies exclusively to the sample and the data that were supplied by the submitter. DNA analysis concerns only the above mentioned disease. No information regarding the customer as well as irpose and results of the analysis will be provided to third parties.

In Bratislava 29.09.2016

Ing. Marcela Bielíková, PhD.



Slovgen s.r.o., Diagnostické laboratórium, Dúbravská cesta 21,
841 04 Bratislava 4, tel: 02/ 59307434, mobil: 0905 550 916

DNA ANALYSIS PROTOCOL FOR DETECTION OF HEREDITARY DISEASES

Submitter of analysis: Sandrine BERCIER Date of sampling: 03.04.2015
821 route des bruyeres Date of samples receipt: 08.04.2015
38440 Villeneuve de marc, FR Date of analysis: 14.04.2015

Breed/name	Tattoo or RFID id/ Certificate of origin	Laboratory code	Type of analysis	Result
Australian Shepherd / JANIS KISS MEFAR des collines du lac de Paladru	250268711141011	150408/L1043	PRA-prcd	N/N non-affected

The results of analysis are stored in a database under the lab code 150408/L1043.

Hints:

PRA-prcd - Progressive retinal atrophy (autosomal recessive)
PRA-prcd N/N – healthy subject – non-affected. Both genes, inherited from both male and female are unaffected. That means that the subject has both alleles healthy.
PRA-prcd N/A – carrier. Subjects with confirmed heterozygous N/A genotype are carriers. Gene mutation can be transmitted to offspring.
PRA-prcd A/A – affected subject. The subject is a homozygote with A/A genotype, which inherited the affected allele from both parents and thus is affected by the disease.

Notice: This protocol applies exclusively to the sample and the data that were supplied by the submitter. DNA analysis concerns only the above mentioned disease. No information regarding the customer as well as purpose and results of the analysis will be provided to third parties.

In Bratislava 20.04.2015

Ing. Marcela Bielíková, PhD.



Slovgen s.r.o., Diagnostické laboratórium, Dúbravská cesta 21,
841 04 Bratislava 4, tel: 02/ 59307434, mobil: 0905 550 916

DNA ANALYSIS PROTOCOL FOR DETECTION OF HEREDITARY DISEASES

Submitter of analysis: Sandrine BERCIER Date of sampling: 03.04.2015
821 route des bruyeres Date of samples receipt: 08.04.2015
38440 Villeneuve de marc, FR Date of analysis: 20.04.2015

Breed/name	Tattoo or RFID id/ Certificate of origin	Laboratory code	Type of analysis	Result
Australian Shepherd / JANIS KISS MEFAR des collines du lac de Paladru	250268711141011	150408/L1043	HSF4/HC	N/N Non-affected

The results of analysis are stored in a database under the lab code 150408/L1043.

Hints:

HSF4 (HC) – Hereditary cataract – deletion/insertion 1 bp in exon 9 of HSF4-gene (Heat shock factor protein 4).
HSF4/HC N/N – NON-AFFECTED (NORMAL), Both genes, inherited from both male and female are unaffected.
HSF4/HC N/A – CARRIER, confirmed heterozygous N/A genotype. Mutation can be transmitted to offspring.
HSF4/HC A/A – AFFECTED by the disease.

The HC disorder in Australian Shepherds has an autosomal dominant mode of inheritance, however with incomplete penetrance, the disease may not develop in every carrier of this deletion. The probability that the binocular HC develops in individuals with one copy of deletion (carriers) is approximately 17 times higher than in dogs clear of the deletion mutation (Mellersh et al. 2009).

Notice: This protocol applies exclusively to the sample and the data that were supplied by the submitter. DNA analysis concerns only the above mentioned disease. No information regarding the customer as well as purpose and results of the analysis will be provided to third parties.

In Bratislava 20.04.2015

Ing. Marcela Bielíková, PhD.